



36112

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Fred ZILLINGER

Title: **PRESSURE SENSOR INSERT FOR A DOWNHOLE TOOL**

Serial No.: 10/663,289

Group Art Unit: 3672

Filing Date: September 16, 2003

Examiner:

Entity Status: Small Entity

Our Docket: RR-554



CERTIFICATE UNDER 37 CFR 1.8 (a)

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to:

Mail Stop
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on December 24, 2003


Attorney For Applicant

Mail Stop
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:


Pursuant to 37 CFR 1.56, applicant encloses a completed Form PTO-1449 listing the patents and publications cited by applicant. Copies of the cited materials are enclosed.

Applicant respectfully requests that the Examiner consider the enclosed documents in the examination of this application.

Since a first Office Action on this patent application has not yet been received, applicant believes that no fee is required for the filing of this Information Disclosure Statement.

However, should any fee be necessary in connection with the filing of this Information Disclosure Statement, please debit our Deposit Account No. 18-1743.

Respectfully submitted,

A handwritten signature in cursive script, reading "Philip Rodman", written over a horizontal line.

Philip Rodman, Reg. No. 25,704
Attorney for Applicant

Dated: December 24, 2003

RODMAN & RODMAN
7 South Broadway
White Plains, New York 10601

Telephone: (914) 949-7210
Facsimile: (914) 993-0668

824-14

+

+

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

DEC 29 2003

387 3040

RECEIVED

12/29/2003

DEC 29 2003

DISCLOSURE
APPLICANT

Compleat if Known

Application Number	10/663,289
Filing Date	September 16, 2003 (09-16-2003)
First Named Inventor	Fred Zillinger
Group Art Unit	Unknown
Examiner Name	Unknown
Attorney Docket Number	RR-554

Sheet	1	of	2
-------	---	----	---

[illegible][illegible]

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

+

Please type a plus sign (+) inside this box →

PTO

PTO/SB/08B (10-96)
Approved for use through 10/31/99. OMB 0651-0031
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

DEC 29 2003

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 2 of 2

Completion if Known

Application Number	10/663,289
Filing Date	September 16, 2003 (09-16-2003)
First Named Inventor	Fred Zillinger
Group Art Unit	Unknown
Examiner Name	Unknown
Attorney Docket Number	RR-554

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

Examiner Initials ¹	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		"iGauge - Pressure and Temperature electronic Memory Insert Gauge," 4 pages, downloaded from Metrolog website www.metrolog.com	
		"iQuartz - Pressure and Temperature Electronic Memory Insert Gauge with Quartz Crystal Sensor," 1 page, downloaded from Metrolog website www.metrolog.com	

Examiner
Signature

Date
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.